

CARBOHYDRATE RESEARCH, VOL. 192 (1989)

AUTHOR INDEX

- ABELT, C. J., 119
 ALSTON, D. R., 259
 ANDERSSON, L. I., 111
 ARAHIRA, M., 223
 ASHTON, P. R., 259
 AZUMA, A., 173

 BARCZA, L., 103
 BARONE, G., 331
 BLACK, F. L., 283
 BONAS, G., 343
 BOONS, G. J. P. H., c1
 BUVÁRI-BARCZA, Á., 103

 CAMERON, I. G., 69
 CASTRONUOVO, G., 331
 COLEMAN, A., 313
 CRASSOUS, A., 313

 DARCY, R., 251
 DEFAYE, J., 251
 DERATANI, A., 215
 DI RUOCCO, V., 331
 DIJEDAINI, F., 313
 DUCHÊNE, D., 313

 EKBERG, B., 11
 ELIA, V., 331

 FALES, H. M., 167
 FRIEDMAN, R. B., 283
 FÜGEDI, P., 365
 FUJIE, M., 91
 FUJIMOTO, M., 291
 FUKUNAGA, K., 167

 GADELLE, A., 251
 GIANCOLA, C., 331
 GOTOH, H., 351
 GOTTFELD, D. J., 283
 GUILLER, A., 251

 HARADA, A., 1
 HARATA, K., 33
 HEDGES, A. R., 283
 HINRICHS, W., 43
 HIRAYAMA, F., 323
 HIROSHIGE, T., 347
 HORIUCHI, Y., 323

 HORIYAMA, S., 159
 HOYER, G.-A., 43

 IRIE, T., 167, 323
 ISNIN, R. I., 357
 ITO, Y., 131

 JURCZAK, J., 243

 KAIFER, A. E., 357
 KASATANI, K., 197
 KAWAMURA, M., 83
 KOBAYASHI, N., 147
 KOBAYASHI, S., 223
 KOZUMI, K., 159
 KOMIYAMA, M., 97
 KÖNIG, W. A., 51
 KUBOTA, Y., 159
 KURAMOTO, T., 83
 KURODA, Y., 347

 LELIÈVRE, G., 215
 LILLEY, T. H., 259
 LINCOLN, S. F., 9
 LOKEY, J. S., 119

 MARALDO, T., 215
 MATSUI, Y., 91
 MISCHNICK, P., 233
 MIZUTANI, K., 83
 MORI, M., 131
 MORIWAKI, F., 173
 MOSBACH, K., 111

 NAGAI, T., 351
 NAKASHIMA, K., 223
 NELSON, G., 305

 OGAWA, T., 131
 OGOSHI, H., 347
 OHASHI, M., 197
 OKAMURA, M., 351
 OSA, T., 147, 173
 O'SULLIVAN, T., 251
 OVERHAND, M., c1

 PERLY, B., 313
 PITHA, J., 167

QUINTELA, P. A., 357

RATCLIFFE, C. I., 69

RIPMEESTER, J. A., 69

RYSANEK, N., 313

SAEKI, K., 1

SAENGER, W., 43

SAITOH, T., 351

SAKATE, H., 91

SATO, H., 197

SÉBILLE, B., 215

SERA, T., 347

SHERROD, M. J., 17

SHIGEMASA, T., 365

SHIRAI, T., 291

SLAWIN, A. M. Z., 259

SMITH, N. J., 9

SMITH, S. H., 119

SOKOLOWSKI, E. A., 167

SPOTSWOOD, T. M., 9

STEINER, T., 43

STODDART, J. F., 259

SUZUKI, M., 61

SYBILSKA, D., 243

SZEJTLI, J., 61

SZENTE, L., 61

TAKAHASHI, S., 1

TAMURA, Y., 83

TANIMOTO, T., 159

TEE, O. S., 181

TODA, F., 365

TOMONO, K., 351

TSOUCARIS, G., 313

UCHIYAMA, T., 83

UEDA, H., 351

UEKAMA, K., 167, 323

UENO, A., 173

VAN BOOM, J. H., c1

VAN DER MAREL, G. A., c1

VARGAS, R., 357

VIGNON, M. R., 343

WARNER, I. M., 305

WILLIAMS, D. J., 259

WOUESSIDJEW, D., 313

YOON, H. R., 351

YOSHIDA, N., 291

ZARZYCKI, R., 259

CARBOHYDRATE RESEARCH, VOL. 192 (1989)

SUBJECT INDEX

- Aggregation of cyanine dyes, effect of cyclomalto-oligosaccharides on the lifetimes of the photoisomers and the states of, 197
- Alkylation of cyclomalto-oligosaccharides (cyclodextrins) with dialkyl sulfate-barium hydroxide, 167
- Amino acids, thermodynamics of the interaction of cyclomaltohexaose in water at 25° with, 331
- Aromatic carboxylic acids, complexation of, with heptakis(2,6-di-*O*-methyl)cyclomaltoheptaose in chloroform and water, 147
- Aromatic compounds, complexation of, with cyclomaltoheptaose-containing polymers, hydroxyethylcyclomaltoheptaose, and cyclomaltoheptaose, 283
- Binding of transition states by cyclomalto-oligosaccharides, 181
- Branched cyclomalto-oligosaccharides, production and some properties of, 223
- Branched thiocyclomalto-oligosaccharides: synthesis and properties of 6-*S*- α - and 6-*S*- β -D-glucopyranosyl-6-thiocyclomaltoheptaose, 251
- Carboplatin and rhodium complexes, second-sphere co-ordination of, by cyclomalto-oligosaccharides, 259
- O*-Carboxymethyl-*O*-ethyl cyclomaltoheptaose as a delayed-release-type drug carrier: improvement of the oral bioavailability of diltiazem in the dog, 323
- Cesium-133 nuclear magnetic resonance study of cyclogentiotetraose peracetate-cesium picrate complexation in non-aqueous solvents, 343
- Citrobacter PCM* 187 Lipopolysaccharide, synthesis of a trisaccharide of the inner core region that contains L-glycero- α -D-mannoheptopyranosyl units, c1
- Comparative studies of the ability of cyclodextrins to form inclusion complexes with isomers of some hydrocarbons under g.l.c. conditions, 243
- Complex of the drug iloprost with cyclomaltoheptaose (β -cyclodextrin), crystal structure of the, 43
- Complex formation of cyclomalto-octaose with tetrabromophenolphthalein and some related compounds, 103
- Complexation in non-aqueous solvents, cesium-133 nuclear magnetic resonance study of cyclogentiotetraose peracetate-cesium picrate, 343
- Complexation of aromatic carboxylic acids with heptakis (2,6-di-*O*-methyl)cyclomaltoheptaose in chloroform and water, 147
- Complexation of aromatic compounds with, and their release from, cyclomaltoheptaose-containing polymers, hydroxyethylcyclomaltoheptaose, and cyclomaltoheptaose, 283
- Complexation of single- and double-chain surfactants by cyclomalto-oligosaccharides, 357
- Complexes of cyclomaltoheptaose with aromatic diazo compounds, formation and reactions of, 119
- Complexes with azo dyes, molecular dynamics of derivatives of cyclomalto-oligosaccharides and their, 61
- Crystal structure of (cyclomaltoheptaose)₂·iloprost·20.5 H₂O, 43
- Crystal structure of the inclusion complex of hexakis(2,6-di-*O*-methyl)cyclomaltohexaose with 3-iodopropionic acid, 33
- Cyanine dye-cyclomalto-oligosaccharide systems, enhanced dimerization of the dye and shortening of the lifetime of the photoisomer in, 197
- α -Cyclodextrin, host-guest complexation of 6-deoxy-6-(1-pyridinio) derivatives of, with inorganic anions in aqueous solution, 91
- Cyclodextrins, a century of (preface), x
- Cyclodextrins, comparative studies of the ability of isomers of some hydrocarbons to form inclusion complexes with, under g.l.c. conditions, 243
- Cyclodextrins (cyclomalto-oligosaccharides), regioselective cleavage of di- and poly-ribonucleotides induced by, 97
- Cyclodextrins, docking calculations on the complexing of ferrocenes with, using molecular mechanics, 17
- Cyclogentiotetraose peracetate-cesium picrate complexation in non-aqueous solvents, cesium-133 nuclear magnetic resonance study of, 343
- Cycloinulo-oligosaccharide from inulin by an extracellular enzyme of *Bacillus circulans* OKUMZ 31B, formation of a, 83

- Cyclomaltoheptaose, complexation of aromatic carboxylic acids with heptakis(2,6-di-*O*-methyl)-, in chloroform and water, 147
- Cyclomaltoheptaose-containing polymers, hydroxyethylcyclomaltoheptaose, and cyclomaltoheptaose, complexation of aromatic compounds with, and their release from, 283
- Cyclomaltoheptaose (β -cyclodextrin), formation and reactions of complexes of aromatic diazo compounds with, 119
- Cyclomaltoheptaose (β -cyclodextrin), 2-hydroxy-3-trimethylammonioethyl derivatives of, as phase-transfer catalysts, 215
- Cyclomaltoheptaose (β -cyclodextrin), isolation and characterization of heptakis(2,6-di-*O*-methyl)-, and over-methylated homologues, 159
- Cyclomaltoheptaoses, determination of the patterns of substitution of hydroxyethyl- and hydroxypropyl-, 233
- (Cyclomaltoheptaose)₂ · iloprost · 20.5 H₂O, crystal structure of, 43
- Cyclomaltoheptaose, synthesis of an active derivative of, for the hydrolysis of esters and the formation of amide bonds, 111
- Cyclomaltoheptaose, synthesis of octakis(6-*O*-*tert*-butyldimethylsilyl)cyclomalto-octaose and heptakis(6-*O*-*tert*-butyldimethylsilyl)-, 366
- Cyclomaltoheptaose, the effect on spirinolactone of its inclusion in, 313
- Cyclomaltoheptaose, use of *O*-carboxymethyl-*O*-ethyl-, as a delayed-release-type drug carrier, 323
- Cyclomaltohexaose, a ²H- and ¹⁹F-n.m.r. study of the inclusion of the enantiomers of *N*-trifluoroacetyl-phenylalanine and -4-fluoro-phenylalanine by, 9
- Cyclomannohexaose (a *manno* isomer of cyclomaltohexaose), a highly stereoselective and practical synthesis of, 131
- Cyclomalto-hexaose and -heptaose, inclusion reactions of some phthalin and sulphophthalin compounds with, 291
- Cyclomalto-hexaose and -heptaose, n.m.r. and dielectric studies of molecular motion in solid *p*-nitrophenol inclusion compounds of, 69
- Cyclomaltohexaose (α -cyclodextrin) as the mobile phase in liquid chromatography, optical resolution of ferrocene derivatives using aqueous, 1
- Cyclomaltohexaose, thermodynamics of the interaction in water at 25° of some amino acids with, 331
- Cyclomalto-octaose, complex formation of, with tetrabromophenolphthalein and some related compounds, 103
- Cyclomalto-octaose, exciton-coupling, intramolecular self-complexation, and host-guest complex formation of 6^A,6^X-bis(anthracene-9-carbonyl) derivatives of, 173
- Cyclomalto-oligosaccharides and their complexes with azo dyes, molecular dynamics of derivatives of, 61
- Cyclomalto-oligosaccharides as chiral stationary phases, enantioselective gas chromatography with modified, 51
- Cyclomalto-oligosaccharides (cyclodextrins), alkylation of, with dialkyl sulfate-barium hydroxide, 167
- Cyclomalto-oligosaccharides, complexation of single- and double-chain surfactants by, 357
- Cyclomalto-oligosaccharides, effect of, on the states of aggregation and the lifetimes of the photoisomers of cyanine dyes, 197
- Cyclomalto-oligosaccharides, production and some properties of branched, 223
- Cyclomalto-oligosaccharides, second-sphere coordination of carboplatin and rhodium complexes by, 259
- Cyclomalto-oligosaccharides, the binding of transition states by, 181
- Delayed-release-type drug carrier, use of *O*-carboxymethyl-*O*-ethylcyclomaltoheptaose as a, 323
- Determination of the patterns of substitution of hydroxyethyl- and hydroxypropyl-cyclomaltoheptaoses, 233
- Dialkyl sulfate-barium hydroxide, alkylation of cyclomalto-oligosaccharides (cyclodextrins) with, 167
- Di- and poly-ribonucleotides, regioselective cleavage of, induced by cyclodextrins, 97
- Diazo compounds, formation and reactions of complexes of cyclomaltoheptaose with aromatic, 119
- Enantioselective gas chromatography with modified cyclomalto-oligosaccharides as chiral stationary phases, 51
- Enantioselective reduction of ketones in inclusion complexes with cyclomaltoheptaose in the solid state: acceleration of the reaction by ultrasound, 363
- Exciton-coupling, intramolecular self-complexation, and host-guest complex formation of 6^A,6^X-bis(anthracene-9-carbonyl) derivatives of cyclomalto-octaose, 173
- Exploration of cyclodextrin chemistry with molecular mechanics: docking calculations on the complexing of ferrocenes with cyclodextrins, 17

- Ferrocene derivatives, optical resolution of, using aqueous cyclomaltohexaose as the mobile phase in liquid chromatography, 1
- Ferrocenes, docking calculations on the complexing of cyclodextrins with, using molecular mechanics, 17
- Formation of a cyclonulo-oligosaccharide from inulin by an extracellular enzyme of *Bacillus circulans* OKUMZ 31B, 83
- Formation of pyrene: cyclomalto-oligosaccharide complexes in the presence of non-ionic surfactants, 305
- Gas chromatography with modified cyclomalto-oligosaccharides as chiral stationary phases, enantioselective, 51
- Heptakis(2,6-di-*O*-methyl)cyclomaltoheptaose and over-methylated homologues, isolation and characterization of, 159
- L-glycero- α -D-manno-Heptopyranosyl unit-containing trisaccharide of the inner core region of *Citrobacter* PCM 187 lipopolysaccharide, synthesis, c1
- Host-guest complex formation of 6'-bis(anthracene-9-carbonyl) derivatives of cyclomalto-octaose, exciton-coupling, intramolecular self-complexation and, 173
- Host-guest complexation of 6-deoxy-6-(1-pyridinio) derivatives of α -cyclodextrin (cyclomaltohexaose) with inorganic anions in aqueous solution, 91
- Hydrolysis of esters and the formation of amide bonds, synthesis of an active derivative of cyclomaltoheptaose for the, 111
- 2-Hydroxy-3-trimethylammoniopropyl derivatives of cyclomaltoheptaose as phase-transfer catalysts, 215
- Hydroxyethyl- and hydroxypropyl-cyclomaltoheptaoses, determination of the patterns of substitution of, 233
- Inclusion complex of hexakis(2,6-di-*O*-methyl)cyclomaltohexaose with 3-iodopropionic acid, crystal structure of the, 33
- Inclusion complexes with cyclomaltoheptaose in the solid state, acceleration by ultrasound of the enantioselective reduction of ketones in, 363
- Inclusion complexes with isomers of some hydrocarbons under g.l.c. conditions, comparative studies of the ability of cyclodextrins to form, 243
- Inclusion compounds in water: thermodynamics of the interaction of cyclomaltohexaose with amino acids at 25°, 331
- Inclusion of spirinolactone in cyclomaltoheptaose: a guest molecule affected by the hospitality of the host, 313
- Inclusion of the enantiomers of *N*-tri-fluoroacetyl-4-fluorophenylalanine and *N*-tri-fluoroacetylphenylalanine by cyclomaltohexaose: a ^2H - and ^{19}F -n.m.r. study, 9
- Inclusion reactions of some phthalein and sulphophthalein compounds with cyclomaltohexaose and -heptaose, 291
- Interaction of nitroglycerin with 6-*O*- α -maltosyl-cyclomaltoheptaose, 351
- Inulin, formation of a cyclonulo-oligosaccharide from, by an extracellular enzyme of *Bacillus circulans* OKUMZ 31B, enzymic, 83
- 3-Iodopropionic acid, crystal structure of the inclusion complex of hexakis(2,6-di-*O*-methyl)cyclomaltohexaose with, 33
- Isolation and characterization of heptakis(2,6-di-*O*-methyl)cyclomaltoheptaose and over-methylated homologues, 159
- Maltosylcyclomaltoheptaose, interaction of nitroglycerin with 6-*O*- α -, 351
- Molecular dynamics of derivatives of cyclomalto-oligosaccharides and their complexes with azo dyes, 61
- Molecular motion in solid *p*-nitrophenol inclusion compounds of cyclomaltohexaose and -heptaose; n.m.r. and dielectric studies, 69
- Nitroglycerin, interaction of 6-*O*- α -maltosyl-cyclomaltoheptaose with, 351
- p*-Nitrophenol inclusion compounds of cyclomaltohexaose and -heptaose, n.m.r. and dielectric studies of molecular motion in solid, 69
- Optical resolution of ferrocene derivatives by liquid chromatography using aqueous cyclomaltohexaose as the mobile phase and polyamide as the stationary phase, 1
- Phase-transfercatalysts, 2-hydroxy-3-trimethylammoniopropyl derivatives of cyclomaltoheptaose as, 215
- Phthalein and sulphophthalein compounds, inclusion reactions of cyclomaltohexaose and -heptaose with some, 291
- Porphyrin, direct synthesis of a sandwich-type molecule involving two molecules of cyclomaltoheptaose and, 347
- Production and some properties of branched cyclomalto-oligosaccharides, 223

- Pyrene: cyclomalto-oligosaccharide complexes in the presence of non-ionic surfactants, the formation of, 305
- 6-(1-Pyridinio) derivatives of α -cyclodextrin, host-guest complexation of 6-deoxy-, with inorganic anions in aqueous solution, 91
- Regioselective cleavage of di- and poly-ribonucleotides induced by cyclodextrins, 97
- Sandwich-type molecule involving porphyrin and two molecules of cyclomaltoheptaose, direct synthesis of a, 347
- Second-sphere co-ordination of carboplatin and rhodium complexes by cyclomalto-oligosaccharides, 259
- Spironolactone, the effect of inclusion in cyclomaltoheptaose on, 313
- Stereoselective and practical synthesis of cyclomannohexaose (a *manno* isomer of cyclomaltohexaose), a highly, 131
- Surfactants, complexation by cyclomalto-oligosaccharides of single- and double-chain, 357
- Surfactants, the formation of pyrene: cyclomalto-oligosaccharide complexes in the presence of non-ionic, 305
- Synthesis and properties of 6-*S*- α - and 6-*S*- β -D-glucopyranosyl-6-thiocyclomaltoheptaose, 251
- Synthesis of a sandwich-type molecule involving porphyrin and two molecules of cyclomaltoheptaose, direct, 347
- Synthesis of an active derivative of cyclomaltoheptaose for the hydrolysis of esters and the formation of amide bonds, 111
- Synthesis of cyclomannohexaose (a *manno* isomer of cyclomaltohexaose), a highly stereoselective and practical, 131
- Synthesis of heptakis(6-*O*-*tert*-butyldimethylsilyl)cyclomaltoheptaose and octakis(6-*O*-*tert*-butyldimethylsilyl)cyclomalto-octaose, 366
- Tetrabromophenolphthalein and some related compounds, complex formation of cyclomalto-octaose with, 103
- 6-Thiocyclomaltoheptaose, synthesis and properties of 6-*S*- α - and 6-*S*- β -D-glucopyranosyl-, 251
- Transition states, the binding by cyclomalto-oligosaccharides of, 181
- N*-Trifluoroacetyl-4-fluorophenylalanine and -phenylalanine, a ^2H - and ^{19}F -n.m.r. study of the inclusion by cyclomaltohexaose of the enantiomers of, 9
- Trisaccharide of the inner core region of *Citrobacter PCM* 187 lipopolysaccharide that contains L-glyceo- α -D-manno-heptopyranosyl units, synthesis, c1
- Ultrasound, acceleration of the enantioselective reduction of ketones in inclusion complexes with cyclomaltoheptaose in the solid state by, 363

